

DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER) BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY PRODUCT CONTROL SECTION 11805 SW 26 Street, Room 208 Miami, Florida 33175-2474 T (786) 315-2590 F (786) 315-2599

www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

Whirlwind Steel Buildings, Inc. P.O. Box 75280 Houston, TX 77234-5280

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER- Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Super Span X 24 Ga. (0.024" min.) Steel Wall Panels System

APPROVAL DOCUMENT: Drawing #14-117, titled "Super Span X, 24 Ga., Steel Wall Panel System", prepared by CBuck Engineering, dated April 15, 2014 and May 15, 2014, signed and sealed by James L. Buckner, P.E., on June 16, 2014, bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and the approval date by the Miami-Dade County Product Control Section.

MISSILE IMPACT RATING: Large and Small Missile Impact Resistant

LABELING: Each panel shall bear a permanent label with the manufacturer's name or logo, city, state and the following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA revises & renews NOA # 08-0310.09 and consists of this page 1, evidence submitted pages E-1 & E-2 as well as approval document mentioned above.

The submitted documentation was reviewed by Helmy A. Makar, P.E., M.S.

MIAMI-DADE COUNTY APPROVED

He GA. Nelo-07/31/2014

NOA No. 14-0618.07 Expiration Date: 07/31/2019 Approval Date: 07/31/2014

Page 1

Whirlwind Steel Buildings, Inc.

NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

1. EVIDENCE SUBMITTED UNDER PREVIOUS APPROVAL # 08-0310.09

A. DRAWINGS:

1. Drawing titled "Super Span X 24 GA. Wall Details", prepared by Terrence E. Wolfe, P.E., dated February 20, 2008, last revision dated May 29, 2008, signed and sealed by Terrence E. Wolfe, P.E., on May 29, 2008.

B. TESTS

- 1. Test report on: 1) Large Missile Impact Test; 2) Static Air Pressure Test; and 3) Cyclic Wind Pressure Test Pressure, prepared by Farabaugh Engineering and Testing, Inc., Test Report No. T299-07, dated 10/28/2007, signed and sealed by Daniel G. Farabaugh, P.E.
- 2. Test report on: 1000 hours in salt spray per ASTM B117, prepared by Asphalt Technologies, Akzo Nobel Coatings, Inc. dated 10/08/2002, signed and sealed by Charles L. Thomas.
- 3. Test report on: 2000 hours Accelerated Weathering per ASTM G26, prepared by Asphalt Technologies, Akzo Nobel Coatings, Inc. dated 10/08/2002, signed and sealed by Charles L. Thomas.

C. CALCULATIONS:

1. Calculations titled "Whirlwind steel Buildings Super Span X Panel", dated February 22, 2008, pages 1 through 5 of 5, prepared by Terrence E. Wolfe, P.E., signed and sealed by Terrence E. Wolfe, P.E., on February 22, 2008.

D. OUALITY ASSURANCE

1. By Miami-Dade County Building Code Compliance Office.

E. MATERIAL CERTIFICATIONS:

1. Tensile Test Report No. T299-07, prepared by West Penn Material Evaluation, dated August 20, 2007, signed by T. Anlt.

2. NEW EVIDENCE SUBMITTED

A. DRAWINGS:

1. Drawing #14-117, titled "Super Span X, 24 Ga., Steel Wall Panel System", prepared by CBuck Engineering, dated April 15, 2014 and May 15, 2014, signed and sealed by James L. Buckner, P.E., on June 16, 2014.

B. TESTS

1. None.

Helmy A. Makar, P.E., M.S. Product Control Unit Supervisor

NOA No. 14-0618.07

Expiration Date: 07/31/2019 Approval Date: 07/31/2014


Whirlwind Steel Buildings, Inc.


NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED

- C. CALCULATIONS:
 - 1. None.
- D. QUALITY ASSURANCE
 - 1. By Miami-Dade County Department of Regulatory and Economic Resources (RER).
- **E.** MATERIAL CERTIFICATIONS:
 - 1. None.
- F. OTHERS
 - 1. Letter from office of Beverly B. Kaufman, County Clerk Harris County, Texas, for name change.

Helmy A. Makar, P.E., M.S. Product Control Unit Supervisor

NOA No. 14-0618.07 Expiration Date: 07/31/2019 Approval Date: 07/31/2014





Panel Properties							
Panel	Painted Panel	Yield	Tensile	Elongation*	Steel	Paint	
Gauge	Thickness	Strength*	Strength*	ciongation	Coating*	Coating*	
24	0.024"	50 KSI	65 KSi	26.5	AZ 55		
		* Conform to ASTM A792				Kynar 500	
		Structural Quality Grade 50					

Not

- 1. This structural wall panel system has been designed in accordance with Florida Building Code (FBC) 2010. The design pressures as determined from section 1620 and ASCE 7-10 shall be multiplied by 0.6.
- 2. The 24 Ga. Super Span X wall Panels shall be used for wall construction only. The actual wall project shall be constructed using the same details shown on these drawing including:
 - A) Details, all panel material characteristics and section with dimension and thickness.
 - B) Erection details including all connection fasteners with size and location.
 - C) Panel maximum span and pressure for the field, and end zones based on panel allowables shown below.
- 3. Maximum allowable panel span = 5'-0".
- 4. The maximum allowable span and (+/-) design pressure for the Super Span X steel wall panel in the wall's field and end zones shall be based on the following panel allowables (use smallest span for the given pressure)
 - A) Maximum allowable bending moment of the panel at supports = 166.25 ft-lbs.
 - B) Maximum allowable bending moment of the panel between supports = 93.50 ft-lbs.
 - C) El value of panel = $1,247,944.0 \text{ lbs-in}^2$
 - D) Maximum allowable deflection for wall panels = L/240.
 - E) Maximum support reaction = 332.5 lbs.
- 5. All panel submembers shall be minimum 16 gauge (0.056"). They are not part of this approval and they shall be reviewed structurally by the structural plans examiner of the corresponding building department for each job.

MEMBER SCREW FOR PANEL SUPPORTS #12-14 × 1-1/4" Zinc Hex Head "HTZ" #2 Pt.

with 0.58" O.D. Seal Integral Washer, By Buildex.

STITCH SCREW FOR PANEL SIDE LAPS

1/4"-14 × 7/8" Zinc Hex Head "HTZ" with 0.58" O.D. Seal Integral Washer, By Buildex.

> Super Span X Inside (CS29R) Closures by Guardian

Super Span X Outside (CS28R) Closures by Guardian

7/8" × 3/16" Butyl Tape



2-1/2" × 3/16" Tri-Bead Butyl Tape

Approved as complying with the

Florida Building Code Date 67/31/20 NOA#14-061E Miami Dade Product Control

TITLE: "Super Span X, 24 Ga., Steel Wall Panel System"

CBUCK Engineering

CBUCK, Inc. COA #8064 1399 N. Killian Dr., Ste 4 W. Palm Beach, FL 33403 (561) 491-9927




Whirlwind Steel Buildings, Inc.


8234 Hansen Road Houston, TX 77075

5/15/14 DATE: PAGE #: 1 OF 4 PROJECT #: 14-117_W DRAWN BY: yd SCALE: N.T.S.

JAMES L. BUCKNER, P.E. FLORIDA P.E. #31242 6/16/14



DETAIL AT END LAP AND PANEL LAP



DETAIL AT REMAINING SUPPORTS @ 5'-0" O.C. MAX.

Approved as complying with the Florida Building Code
Date 7/31/2014
NOA# 14-06/8.07
Minny Dade Product Control
By

JAMES L. BUCKNER, P.E.
FLORIDA P.E. #31242
Cd 16/14

TITLE: "Super Span X, 24 Ga., Steel Wall Panel System"

CBUCK Engineering

CBUCK, Inc. COA #8064 1399 N. Killian Dr., Ste 4 W. Palm Beach, FL 33403 (561) 491-9927



Whirlwind Steel Buildings, Inc.


8234 Hansen Road Houston, TX 77075 DATE: 4/15/14

PAGE #: 2 OF 4

PROJECT #: 14-117


DRAWN BY: yd

SCALE: N.T.S.



hside closure Reof Panel -SEE ROOF PANEL APPROVAL Eave Trim -\$12-14 x 1-1/4" Zinc Hex Head "HTZ" #2 PT, w/ Integral Washer spaced on 5'-7'-5"-7" pottern 1/4-14 x 7/8" Zinc Hex Head "HTZ" w/ Integral Washer 0 12" O.C. Max. Outside closure

WALL DETAIL W/ EAVE TRIM



Approved as complying with Florida Building Code
Date 07/31/2014
NOA# 14-06-18-07
Miani Dade Product Coarrol

Min. 16 ga. (.056*) Eave Strut

WALL DETAIL W/ RAKE TRIM

TITLE: "Super Span X, 24 Ga., Steel Wall Panel System"

AMES L. BUCKNER, P.E. FLORIDA P.E. #31242

COA #8064 CBUCK, Inc. 1399 N. Killian Dr., Ste 4 W. Palm Beach, FL 33403 (561) 491-9927

CBUCK Engineering



Super Spon X woll ponel-


Whirlwind Steel Buildings, Inc.

8234 Hansen Road Houston, TX 77075

DATE: 4/15/14 PAGE #: 3 OF 4 PROJECT #: 14-117

DRAWN BY: yd

SCALE: N.T.S.



ISOMETRIC VIEW AT CORNER OF BUILDING

Approved as complying with the Plorida Building Gode
Date 67/31/2014
NOAN 14-0218.0
Miami Dade Product Control

JAMES L. BUCKNER, P.E. FLORIDA P.E. #31242 6/16/14 TITLE: "Super Span X, 24 Ga., Steel Wall Panel System"

CBUCK Engineering

CBUCK, Inc. COA #8064 1399 N. Killian Dr., Ste 4 W. Palm Beach, FL 33403 (561) 491-9927



Whirlwind Steel Buildings, Inc.

8234 Hansen Road Houston, TX 77075

DATE:	4/15/14		
PAGE #:	4 OF 4		
PROJECT #:	14-117		
DRAWN BY:	yd		
SCALE:	N.T.S.		